

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25	((("5,625,729") or ("5,945,720") or ("5,973,316") or ("6,034,809") or ("6,022,091") or ("6,236,033") or ("6,282,005") or ("6,285,020") or ("6,441,298") or ("6,644,960") or ("6,718,832"))),PN).	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 12:58
S2	2	((MARK)near2 (AREND)).INV.	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/B 12:58
S3	2	((MARK)near2 (AREND)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/02/B 12:58
S4	24	((DAVID)near2 (CROUSE)).INV.	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/B 12:58
S5	2	((DAVID)near2 (CROUSE)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/02/B 12:58
S6	0	(RESEARCH FOUNDATION OF THE CITY UNIVERSITY OF NEW YORK).as.	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2008/02/B 12:59
S7	70	(RESEARCHnear2 FOUNDATIONnear3 CITYnear2 UNIVERSITYnear3 NEW near2 YORK).as.	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B B:01
S8	20	S2 S3 S4 S5	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B B:01
S9	9227	250/24.1250/2 HR 257/ B4, B9, 441, 444, 448, 449, 457-459.ecls.	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B B:04
S10	29330	(MSM) (metalnear2 semiconductor near2 metal)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B B:04
S11	60623	(electromagnetic near2 resonance\$) (FR)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B B:05
S12	152313	(cavity near2 mode) CM (diffracted near2 mode) (DM) HSP (hybrid near2 surface near2 plasmon) (Wood near2 Raleigh near2 anomalies) (WR)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B B:06

S3	365597	(surface near2 plasmon) SP	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/ B B:06
S4	83954	(externaloutside second secondary) near3 (wave pulse)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/ B B:07
S5	179600	(localinternalfirst primary) near3 (wave pulse)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/ B B:08
S6	166207	(multiplicity multiple many several plural plural y) near4 (electrode electrodes)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/ B B:09
S7	5	S6 and S1	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/ B B:09
S8	43080	S4 near5 S5	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/ B B:D
S9	2	S7 and S8	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/ B B:D
S20	88	("38 B 42"1 "4466694"1 "45838 B"1 "4645293"1 "4749248"1 "488 179 1" "5 57537"1 "5337 83"1 "5438637");IPN. OR ("5625729");URPN.	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S21	5	S20 and S8	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S22	5	S21not S9	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S23	0	S6 and S22	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S24	2491	S8 and S6	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S25	48	(aspect near2 ratio) near D S6	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S26	3	S25 and S8	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S27	3	S8 and S25	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B
S28	2	S27 not S26	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/ B B:B

S29	9538	385/12,3,4,39,40,29,B0,B1,Black.	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/B 14:27
S30	2059	(photonic plasmonic) near4 (bandgap)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/B 16:39
S31	16207	(multiplicity multiple many several phral phrality) near4 (electrode electrodes)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/B 16:40
S32	217217	(height near8 (width spacing gap pitch))	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/B 16:41
S33	93	S31near10 S32	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/B 16:42
S34	0	S30 and S33	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	ON	2008/02/B 16:42
S35	9227	250/214,1250/214R 257/184,189,441-444,448,449,457-459.ccls.	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/B 16:42
S36	1	S33 and S35	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/B 16:42
S37	60623	(electromagnetic near2 resonance\$1) (ER)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/B 16:43
S38	152313	(cavity near2 mode) CM(diffracted near2 mode) (DM) HSP (hybrid near2 surface near2 plasmon) (Wood near2 Raleigh near2 anomalies) (WR)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/B 16:43
S39	365597	(surface near2 plasmon) SP	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/B 16:43
S40	3	S33 and S39	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_ TDB	OR	OFF	2008/02/B 16:44

S41	B	S33 and (S37 S38)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 16:44
S42	2	S40 not S41	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 16:45
S43	12	S41not S40	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 16:45
S44	9538	385/12,3,4,39,40,29,B0,B1,Blocks.	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/B 16:46
S45	0	S44 and S33	US-PCPUB; USPAT; USOCR	OR	OFF	2008/02/B 16:46
S46	2227	S44 and (S37 S38)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 16:46
S47	34661	((first primary premier) near6 (array multiplicity multiple many several plural plurality) near4 (electrode electrodes))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:48
S48	28854	((second secondary) near6 (array multiplicity multiple many several plural plurality) near4 (electrode electrodes))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:49
S49	21769	S47 and S48	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:49
S50	52457	((first primary) near4 (gap opening window width))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:50
S51	480724	((second secondary) near4 (gap opening window width))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:50
S52	87587	((array multiplicity multiple many several plural plurality) near4 (electrode electrodes))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:51

S53	B9	S52 near D S32	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:51
S54	0	S53 and S30	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:51
S55	1	S53 and S35	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:51
S56	0	S53 and S44	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:51
S57	D79	S52 near6 S50	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:52
S58	857	S52 near6 S51	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:52
S59	42	S57 same S58	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:52
S60	3	S59 and S35	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:52
S61	458049	((height thickness) near8 (width spacing gap pitch))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:56
S62	388	S52 near6 S61	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:56
S63	0	S30 and S62	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:57

S64	2	S35 and S62	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:57
S65	1113	S47 same S48	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:58
S66	12	S65 and S30	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 16:58
S67	152	S65 and S35	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 17:01
S68	2	S66 and (S37 S39)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 17:01
S69	25	((("5,625,729") or ("5,945,720") or ("5,973,316") or ("6,034,809") or ("6,122,097") or ("6,236,033") or ("6,282,005") or ("6,285,020") or ("6,441,298") or ("6,614,960") or ("6,713,832"))).PN.	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 17:03
S70	2	S69 and S47 and S48	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 17:03
S71	2 1769	S47 and S48	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 17:08
S72	367	S71 and S39	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 17:08
S73	58	(surface near2 plasmon) and S71	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 17:09
S74	183954	(external outside second secondary near3 (wave pulse)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 17:30

S75	79600	(localinternalfirst primary)near3 (wave pulse)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 7:30
S76	43080	S74 near5 S75	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 7:30
S77	670	S71and S76	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 7:32
S78	11	S76 near5 ((cavity near2 mode) CM)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 7:34
S79	1	S78 and S71	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 7:34
S80	50076	S74 near8 S75	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 7:54
S81	3221	S80 and S52	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/B 7:55
S82	9	(surface near2 plasmon) and S81	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 7:55
S83	42	S75 near8 (surface near2 plasmon)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 7:59
S84	10	S83 and S52	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/B 8:00

2/14/2008 9:52:20 AM

C:\Documents and Settings\legasse\My Documents\EAST\Workspaces\10593930.wsp